


Over
Size
& More

ROLLCART

TOTEM

TOTEM



OS005



TOTEM

**BIFACCIALE
E MONOFACCIALE**
(2 Tiles / 1 Tile)



*Front & Back/One side
Recto verso/Simple face
Bifacial/Monofacial*





OS005
60 x 180



OS005
80 x 180




OS005
100 x 200



OS006

TOTEM




**BIFACCIALE
E MONOFACCIALE**
(2 Tiles / 1 Tile)



*Front & Back/One side
Recto verso/Simple face
Bifacial/Monofacial*





OS006
120 x 240





OS006
120 x 260



OS006
120 x 280



OS006
160 x 320




Optional OS006:
PORTA TOZZETTI GAMMA COLORI

Coloured pieces holder / Gamme de port pieces / Puerta tozzetti gama de colores



OST002

 $\frac{n}{18 + 18}$
 $\frac{20 \times 20 \text{ cm}}{7 \frac{7}{8}'' \times 7 \frac{7}{8}''}$



OST003

 $\frac{n}{18 + 18}$
 $\frac{20 \times 20 \text{ cm}}{7 \frac{7}{8}'' \times 7 \frac{7}{8}''}$



OST001

 $\frac{n}{20 + 20}$
 $\frac{20 \times 20 \text{ cm}}{7 \frac{7}{8}'' \times 7 \frac{7}{8}''}$



OST004

 $\frac{n}{20 + 20}$
 $\frac{20 \times 20 \text{ cm}}{7 \frac{7}{8}'' \times 7 \frac{7}{8}''}$





OSTURN

TOTEM





OSTURN

120 x 240





OSTURN

120 x 260



OSTURN


120 x 280



OSQUICK

MONOFACCIALE / MONO-FACE / MONOFACIAL

TOTEM



**Fermi regolabili per
spessori 6-10-12mm**

*Adjustable locks for different thicknesses
Arrêts réglables pour l'épaisseur
Topes ajustables para grosor*

**OPTIONAL :
per spessore 20mm**



**OPTIONAL :
Pannello con grafica**

*Board with graphic design
Panneau avec graphiques
Panel con gráficos*



OSQUICK-1


1200 x 2400



n.1



MAX
86,5Kg



1200 mm
47 1/4 "

400 mm
15 3/4 "

OSQUICK-1


1200 x 2600



n.1



MAX
86,5 Kg



1200 mm
47 1/4 "

400 mm
15 3/4 "

OSQUICK-1


1200 x 2800



n.1



MAX
86,5 Kg



1200 mm
47 1/4 "

400 mm
15 3/4 "

OSQUICK-1


1600 x 3200



n.1



MAX
155Kg




1600 mm
62 63/64 "

535 mm
21 1/6 "

OSQUICK

BIFACCIALE / DOUBLE-FACE / BIFACIAL

TOTEM



Fermi regolabili per spessori 6-10-12mm

*Adjustable locks for different thicknesses
Arrêts réglables pour l'épaisseur
Topes ajustables para grosor*

**OPTIONAL :
per spessore 20mm**



**OPTIONAL :
Pannello con grafica**

*Board with graphic design
Panneau avec graphiques
Panel con gráficos*



OSQUICK-2

1 2 0 x 2 4 0



n. 2



MAX
173 Kg



120 x 240 cm
47 1/4" x 94 3/64"

2400 mm
94 3/64"



1200 mm
47 1/4"

400 mm
15 3/4"

OSQUICK-2

1 2 0 x 2 6 0



n. 2



MAX
173 Kg



120 x 260 cm
47 1/4" x 102 23/64"

2600 mm
102 23/64"



1200 mm
47 1/4"

400 mm
15 3/4"

OSQUICK-2


1 2 0 x 2 8 0



n. 2



MAX
173 Kg



120 x 280 cm
47 1/4" x 110 15/64"

2800 mm
110 15/64"



1200 mm
47 1/4"

400 mm
15 3/4"

OSQUICK-2

1 6 0 x 3 2 0



n. 2



MAX
310 Kg



160 x 320 cm
62 63/64" x 125 63/64"

3200 mm
125 63/64"



1600 mm
62 63/64"



535 mm
21 1/16"

FLEXWALL

TOTEM




FLEX WALL



Supporti per piastrelle
Supports for tiles
Supports pour carreaux
Soportes para azulejos


A PARETE
Wall / Mur / Pared



CENTRO SALA
Center-room / Centre salle / Sala centro

Fronte
Front / Devant / Frente

Retro
Back / Retour / Espalda



OSFRAME



OSFRAME
120 x 240

120 x 240 cm
47 1/4" x 94 3/8"



OSFRAME
120 x 260

120 x 260 cm
47 1/4" x 102 3/8"



OSFRAME
120 x 280

120 x 280 cm
47 1/4" x 110 5/8"



OSFRAME
100 x 300

100 x 300 cm
39 3/8" x 118 7/8"



OSFRAME
150 x 300

150 x 300 cm
59 1/8" x 118 7/8"




OSFRAME
160 x 320

160 x 320 cm
62 63/64" x 125 63/64"



ESPOSITORI SCORREVOLI

SLIDING DISPLAYS_PRÉSENTOIRS COULISSANTS_EXPOSITORES DESLIZANTES



ONE
SIDE

SLIDE

ESPOSITORI SCORREVOLI



CARRELLI

RAILS / CADRES COULISSANTES / GUIAS

OS008-60



OS008-80



OS008-90



OS008-100




OS008-120




BASE

BASE / BASE / BASE


OS008A




OS008B



OS008C




OS008D



TWO
SIDES

SLIDE

ESPOSITORI SCORREVOLI



Fronte
Front
Devant
Frente



Retro
Back
Arrière
Dorso

CARRELLI

RAILS / CADRES COULISSANTES / GUIAS

OS009-60



OS009-80



OS009-90



OS009-100




OS009-120



BASE

BASE / BASE / BASE


OS009A




OS009B



OS009C




OS009D




SLIDE HANDY

ESPOSITORI SCORREVOLI

SMALL PACKAGING
FOR 600X1200



SMALL PACKAGING
FOR 1200X1200



CARRELLI

RAILS / CADRES COULISSANTES / GUIAS

OSH - 60




OSH - 120




BASE

BASE / BASE / BASE


OSH5-M



OSH8-M



OSH10-M



TWO
SIDES

ESPOSITORI SCORREVOLI

SLIDE HANDY

SMALL PACKAGING
FOR 600X1200



MAX
12+12 mm

SMALL PACKAGING
FOR 1200X1200



CARRELLI

RAILS / CADRES COULISSANTES / GUIAS

OSH-60




OSH-120




BASE

BASE / BASE / BASE


OSH5-B



OSH8-B




OSH10-B




BIG SIZE SLIDE ONE SIDE TWO SIDES

ESPOSITORI SCORREVOLI



**optional
clips**




**optional
velcro**




CARRELLI

RAILS / CADRES COULISSANTES / GUIAS


OS010-80




OS010-90



OS010-100




OS010-120




BASE

BASE / BASE / BASE


OS010A-5



OS010B-8



OS010C-10




721 / 821 / 921 / 1121 mm
28 25/64" / 32 21/64" / 36 17/64" / 44 9/64"

OSVIEW

MODULAR



ESPOSITORI SCORREVOLI



OPTIONAL :

Pannello con grafica

Board with graphic design / Panneau avec graphiques /
Panel con gráficos



optional: MODULO SINGOLO

(aumentabile fino al raggiungimento
del numero di lastre desiderato)

Single module
(incremental until reaching the desired
number)




Module unique
(il peut être augmenté jusqu'au nombre
des cadres souhaités)

Módulo único
(se puede aumentar hasta alcanzar el
número deseado)




MODULO BASE (a n.5 carrelli)

Standard module (5 Rails)
Module de base (5 Cadres)
Módulo básico (5 Guías)




OSVIEW MODULAR 120 x 240



OSVIEW MODULAR 120 x 260



OSVIEW MODULAR 120 x 280



OVERSIZE



ESPOSITORI SCORREVOLI





FISSAGGIO STRUTTURA A PARETE
 The structure should be fixed to the wall
 La structure doit être fixée au mur
 La estructura debe fijarse a la pared





OS2.4
120x240





OS2.6
120x260





OS2.8
120x280





OS3.0 100x300





OS3.0 150x300



OS3.2/6 160x320



OS3.2/10 160x320




ESPOSITORI SCORREVOLI



FISSAGGIO STRUTTURA A PARETE

The structure should be fixed to the wall
La structure doit être fixée au mur
La estructura debe fijarse a la pared



Esempi utilizzo telai

Example use of frames / Exemple d'utilisation de cadres / Ejemplos de uso de marcos




OS2.8
MULTI
SIZE



n. 10



MAX
150 Kg




OS2.8
MULTI
SIZE
DOUBLE



n. 10+10



MAX
150 Kg




MULTISIZE

ESPOSITORI SCORREVOLI



STRUTTURA AUTOPORTANTE

Self-standing structure
Structure autoportante
Estructura autoportante




OS012



n. 5



MAX
100 Kg




OS011



n. 5+5



MAX
100 Kg



63030

ESPOSITORI SCORREVOLI



STRUTTURA AUTOPORTANTE

Self-standing structure
Structure autoportante
Estructura autoportante



MAX
200 Kg





MIN
6 mm
MAX
10 mm



Optional: TELAIO REVERSE 120X120cm

REVERSE frames 120X120cm
Cadre REVERSE 120x120cm
Estructura REVERSE 120x120cm






OS027

ESPOSITORI SCORREVOLI



STRUTTURA AUTOPORTANTE

Self-standing structure
Structure autoportante
Estructura autoportante



n. 8




MAX
220 Kg




MAX
10 mm


OS027
120 x 240



OS027
120 x 260




OS027
120 x 280




OS027

100x300




OS027

150x300



OS027

160x320



OS027-GIR

ESPOSITORI SCORREVOLI



STRUTTURA AUTOPORTANTE

Self-standing structure
Structure autoportante
Estructura autoportante



n. 8




MAX
220 Kg




MAX
10 mm


OS027
120 x 240
GIR



OS027
120 x 260
GIR



OS027
120 x 280
GIR



OSVIEWBOX

ESPOSITORI SCORREVOLI




n. 6+6



STRUTTURA AUTOPORTANTE

Self-standing structure
Structure autoportante
Estructura autoportante




CARRELLI

RAILS / CADRES COULISSANTES / GUIAS

OSVIEWBOX
120x240




MAX
150 Kg




OSVIEWBOX
120x260




MAX
160 Kg



OSVIEWBOX
120x280




MAX
175 Kg





OSDIAGONAL


ESPOSITORI SCORREVOLI



**6-6,5 mm thickness
back boards**



**10-12 mm thickness
clips**








STRUTTURA AUTOPORTANTE




Self-standing structure
Structure autoportante
Estructura autoportante





OS DIAGONAL
120 x 240






OS DIAGONAL
120 x 260



OS DIAGONAL
100 x 300



OS DIAGONAL
120 x 280






SOLO CON PANNELLI SUL RETRO




Only with back boards
Uniquement avec panneau arrière
Sólo con panel trasero



OS DIAGONAL
150 x 300



OS DIAGONAL
160 x 320




FISSAGGIO A TERRA

Fixing to the floor
Fixation au sol
Fijación al suelo

REVERSE

FLIPPING DISPLAY_EXPOSITOR GIRATORIO



OS REVERSE

Spessore piastrella a vista su tutto il perimetro, grazie al telaio interno

Tile thickness completely visible around all the perimeter thanks to the full frame.
Épaisseur du carreau a vue sur tout le périmètre, grâce au cadre métallique intérieur.
Espesor del azulejo visible en todo el perímetro, gracias al marco interno.




Optional REVERSE

Reverse per pannelli con posa

Reverse with glued panels
Reverse pour le panneaux
avec pose et panneau
Reverso para paneles
con tendido

Pannello
Back panel
Panneau de support
Panel de soporte





Piastrelle
Tiles
Carreaux
Azulejos



Fermi per inserire sotto-formati


Locks for lower formats tile insertion
Pour les sous-formats insérés
Paradas para subformatos insertados



80x80

OS028|5
80x80

n. 5+5

685 mm
26 31/32"2070 mm
81 1/2"220 mm
8 21/32"OS028|8
80x80

n. 8+8

1025 mm
40 23/64"1275 mm
50 13/64"1170 mm
46 1/16"685 mm
26 31/32"MAX
50 KgMIN
6 mm
MAX
12 mm

90x90

OS029|5
90x90

n. 5+5

685 mm
26 31/32"2280 mm
89 49/64"335 mm
13 3/16"OS029|8
90x90

n. 8+8

1025 mm
40 23/64"1180 mm
46 29/64"1270 mm
50"760 mm
29 59/64"MAX
50 KgMIN
6 mm
MAX
12 mm


100x100

OS003|5
100x100

n. 5+5


685 mm
26 31/32"2480 mm
97 41/64"400 mm
15 3/4"OS003|8
100x100

n. 8+8

1025 mm
40 23/64"1280 mm
50 25/64"1370 mm
53 15/16"800 mm
31 1/2"MAX
50 KgMIN
6 mm
MAX
12 mm

60x120

OS004|5
60x120



n. 5+5


685 mm
26 3/32"



485 mm
19 3/32"


1670 mm
65 47/64"

OS004|8
60x120




n. 8+8

1025 mm
40 23/64"



1480 mm
58 17/64"



975 mm
38 25/64"




MAX
35 Kg



MIN
6 mm
MAX
12 mm


120x120

OS002|5
120x120



n. 5+5


685 mm
26 3/32"



485 mm
19 3/32"


2865 mm
112 5/64"

OS002|8
120x120




n. 8+8



1025 mm
40 23/64"



1480 mm
58 17/64"



1570 mm
61 13/16"




MAX
70 Kg



MIN
6 mm
MAX
12 mm


75x150

OS001|5
75x150



n. 5+5


685 mm
26 3/32"



635 mm
25"


1980 mm
77 6/64"

OS001|8
75x150




n. 8+8

1025 mm
40 23/64"



1775 mm
69 7/8"



1120 mm
44 3/32"



MAX
56 Kg




MIN
6 mm
MAX
12 mm

80x160


OS040|5
80x160

n. 5+5



OS040|8
80x160

n. 8+8




MAX
90 Kg



MIN
6 mm
MAX
12 mm


OS042|5
90x180

n. 5+5



OS042|8
90x180

n. 8+8




MAX
110 Kg



MIN
6 mm
MAX
12 mm


OS043|5
160x160

n. 5+5



OS043|8
160x160

n. 8+8



MAX
130 Kg




MIN
6 mm
MAX
12 mm

90x180

160x160


REVERSE HANDY

REVERSE





60x120

OS004|5H
60 x 120




n. 5+5

622 mm
24 3/64"





OS004|8H
60 x 120




n. 8+8

940 mm
37"



1435 mm
56 3/64"



934 mm
36 49/64"




MAX
35 Kg



MIN
6 mm
MAX
12 mm



120x120

OS002|5H
120 x 120




n. 5+5

622 mm
24 3/64"





OS002|8H
120 x 120




n. 8+8

1025 mm
40 23/64"



1435 mm
56 3/64"



1531 mm
60 17/64"



MAX
70 Kg







MIN
6 mm
MAX
12 mm

Schema di Montaggio semplificato

Simplified Assembly Diagram


Schéma de montage simplifié

Diagrama de montaje simplificado





OS004|5OUT
60x120
OUTDOOR



OUTDOOR




MAX
90 Kg



MIN
18 mm
MAX
20 mm

CASSETTIERE

DRAWERS_TIROIRS_CAJONES



OSFLIP


CASSETTIERE




n. 15+15

MAX
60 Kg

MAX
24 mm



OSFLIP
60 x 120



Optional: PANNELLO DI COMUNICAZIONE

Graphical panel
Panel de communication
Panel de comunicaciòn



Optional: BASI

Bases
Base
Bases



15+15
30x60cm



FLIP_BASE_A



FLIP_BASE_B



FLIP_BASE_C





FLIP_BASE_D

OS043

CASSETTIERE

 n. 20

 MAX
35 Kg

 MIN
6 mm
MAX
14 mm



Cassetto con estrazione parziale.
Drawer with partial extraction
Tiroir à extraction partielle
Cajón con extracción parcial




OS043
600 x 1200




OS043
800 x 800




OS043
900 x 900



OS043
1000 x 1000



OS043
1200 x 1200



OS31

CASSETTIERE



n. 8



MAX
25 mm










Cassetto con estrazione totale.

Drawer with total extraction


Tiroir à extraction totale

Cajón con extracción total





TEKE SMART





TEKE SMART Modulari e Componibili

Modular and mixable / Modulaires à composer / Modulares y componibles





Optional: LUCE LED

LED light
Lumière LED
Luz LED




CORNER







MODULO_A




MODULO_B




MODULO_C




MODULO_D




MODULO_E




CORNER_A




CORNER_B



CORNER_C




CORNER_D



CORNER_E

CUBE




CUBE

CUBE


Modulare e Componibile

Modular and mixable / Modulaires à composer / Modulares y componibles



Optional:
FARI LED A BINARIO

Led track lights
Phares à led sur voie
Faros de pista led



2900 mm







Optional:
PIANO SCORREVOLE

Sliding Tray
Plateau coulissant
Mesa deslizante




ESEMPI COMPOSITIVI

COMPOSITIONAL EXAMPLES | EXEMPLES DE COMPOSITIONS | EJEMPLOS DE COMPOSICIÓN







MODULO_FLAG **18+18**_60x280 cm.



MODULO_SPIN-B **5+5**_30x280 cm.





MODULO_SPIN-Q **4x5**_40x280 cm.




FLAG

BANDIERA



FLAGHANDY

6 0 x 1 2 0



FLAG

6 0 x 1 2 0

